

36-1523: Monoclonal Antibody to Ornithine Decarboxylase-1 (ODC-1)(Clone : ODC1/485)

Clonality :	Monoclonal
Clone Name :	ODC1/485
Application :	WB,FACS,IF,WB,IHC
Reactivity :	Human, Rat
Gene :	ODC1
Gene ID :	4953
Uniprot ID :	P11926
Format :	Purified
Alternative Name :	ODC1
Isotype :	Mouse IgG1, kappa
Immunogen Information :	Recombinant human ODC-1 protein

Description


Recognizes a 53kDa protein, identified as the Ornithine Decarboxylase (ODC-1). ODC is the initial and rate-limiting enzyme in the biosynthetic pathway of polyamines and is involved in the conversion of ornithine to putrescine. The biological activity of ODC-1 is rapidly induced in response to virtually all agents known to promote cell proliferation including hormones, drugs, growth factors, mitogens, and tumor promoters. Reportedly, ODC mRNA levels are elevated in lung carcinomas as well as in colon adenomas and carcinomas. ODC activity in colorectal carcinomas is greater than those in adenomas and normal mucosa.

Product Info


Amount :	100 µg
Purification :	Affinity Chromatography
Content :	100 µg in 500 µl PBS containing 0.05% BSA and 0.05% sodium azide. Sodium azide is highly toxic.
Storage condition :	Store the antibody at 4°C; stable for 6 months. For long-term storage; store at -20°C. Avoid repeated freeze and thaw cycles.

Application Note


Western Blot (0.5-1ug/ml); Flow Cytometry (1-2ug/million cells); Immunofluorescence (1-2ug/ml); Western Blot (1-2ug/ml); Immunohistochemistry (Formalin-fixed) (0.25-0.5ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes);




Formalin-fixed, paraffin-embedded human Prostate Carcinoma stained with ODC-1 Monoclonal Antibody (ODC1/485)




Formalin-fixed, paraffin-embedded human Testicular Carcinoma stained with ODC-1 Monoclonal Antibody (ODC1/485)




Western Blot of ODC1 in human placental Lysate using ODC-1 Monoclonal Antibody (ODC1/485).



Flow Cytometry of human ODC1 on PC3 Cells. Black: Cells alone; Grey: Isotype Control; Green: AF488-labeled ODC1 Monoclonal Antibody (ODC1/485).



IF staining of LNCap cells using AF488 labeled ODC1 Monoclonal Antibody (ODC1/485) (Green). DAPI was used to stain the cell nucleus (blue).



Formalin-fixed, paraffin-embedded Rat Pancreas stained with ODC1 Monoclonal Antibody (ODC1/485).