

ABGENEX Pvt. Ltd., E-5, Infocity, KIIT Post Office, Tel: +91-674-2720712, +91-9437550560 Email: info@abgenex.com

Bhubaneswar, Odisha - 751024, INDIA

20-1097: Polyclonal antibody to TRAF-2

 Clonality :
 Polyclonal

 Application :
 IP,IHC,WB

 Reactivity :
 Mouse

 Gene :
 Traf2

 Gene ID :
 22030

 Uniprot ID :
 P39429

 Format :
 Sera

Alternative Name: E3 ubiquitin-protein ligase TRAF2, RING-type E3 ubiquitin transferase TRAF2

Isotype: Rabbit IgG

Immunogen Information: A synthetic peptide of mouse TRAF-2 (amino acids 250-271 CSFLEAQASPGTLNQVGPELLQR)

was used as immunogen for this antibody

Description

This antibody recognizes TRAF2, which is a member of TRAF (TNF receptor-associated factor) adapter proteins composed 501 amino acids. It Links TNFRs (TNF Receptors) to the SAPKs (Stress-Activated Protein Kinases) and p38s. TRAF2 can activate ASK1 (Apoptosis Signal-Regulating Kinase-1) in vivo and can interact in vivo with the amino- and carboxyl-terminal noncatalytic domains of the ASK1 polypeptide. Expression of the amino-terminal noncatalytic domain of ASK1 can inhibit TNF and TRAF2 activation of SAPK. TRAF2 is a potential mediator of CD40 signaling. In vitro, TRAF2 and TRAF3 bind to the CD40 Cytoplasmic Tail (CD40CT) with much higher affinity than TRAF5 and TRAF6 (TNF Receptor Associated Factor-6) and that TRAF2 and TRAF3 bind to different residues of the CD40CT. The TRAF2-binding site of the CD40CT is critical for NF-KappaB and SAPK activation, as well as the UP-regulation of the ICAM1 (Intercellular Adhesion Molecule-1).

Product Info

 Amount :
 50 μl

 Content :
 50 μl sera

Storage condition:

Storage condition:

Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid

repeated freeze and thaw cycles.

Application Note

WB: 1:1000-1:2000, IHC (paraffin): 1:1000-1:5000, IHC (frozen): Users should optimize, IP: 1:50-1:200




Fig:1 Formalin-fixed, paraffin-embedded mouse testis/epidymis stained for mTRAF2 expression using 20-1097 at 1:2000. Hematoxylin eosin counterstain.



ABGENEX Pvt. Ltd., E-5, Infocity, KIIT Post Office, Tel: +91-674-2720712, +91-9437550560 Email: info@abgenex.com Bhubaneswar, Odisha - 751024, INDIA




Fig:2 Formalin-fixed, paraffin-embedded mouse pancreas stained for mTRAF2 expression using 20-1097 at 1:2000. Hematoxylin eosin counterstain. A1 is a high magnification of A. Expression of TRAF2 is seen in the pancreatic islets.