ABGENEX Pvt. Ltd., E-5, Infocity, KIIT Post Office, Tel: +91-674-2720712, +91-9437550560 Email: info@abgenex.com

Bhubaneswar, Odisha - 751024, INDIA

10-7553: Monoclonal Antibody to Inhibin alpha (Clone: ABM44F5)

Monoclonal Clonality: ABM44F5 Clone Name: Application: WB.IHC Reactivity: Human Gene: INHA Gene ID: 3623 **Uniprot ID:** P05111 Format: Purified INHA **Alternative Name:**

Isotype: Mouse IgG2b Kappa

Immunogen Information: A partial length recombinant Inhibin alpha protein (amino acids 196-366) was used as the

immunogen for this antibody.

Description

Inhibin alpha (INHA) are dimeric glycoproteins that are structurally and functionally related to transforming growth factor-beta and are composed of 1 Alpha-subunit and 1 of 2 beta-subunits (betaA or betaB). Inhibin, first identified as a hormone regulating pituitary FSH secretion, later recognized to act as a tumor suppressor in the gonad and adrenal glands. INHA are involved in regulating a number of diverse functions such as hypothalamic and pituitary hormone secretion, gonadal hormone secretion, germ cell development and maturation, erythroid differentiation, insulin secretion, nerve cell survival, embryonic axial development or bone growth, depending on their subunit composition. Inhibins play important roles in normal gonadal function, including regulation of proliferation, differentiation, and steroidogenesis of Leydig and Sertoli cells via paracrine and autocrine processes.

Product Info

Amount : $25 \mu g / 100 \mu g$

Purification: Protein G Chromatography

Content: 25 μg in 50 μl/100 μg in 200 μl PBS containing 0.05% BSA and 0.05% sodium azide. Sodium

azide is highly toxic.

Storage condition:

Storage condition:

Store the antibody at 4°C; stable for 6 months. For long-term storage; store at -20°C. Avoid

repeated freeze and thaw cycles.

Application Note

Western blot analysis: 0.5-1; Immunohistochemical analysis-5-10 µg/ml




Fig-1: Western blot analysis of Inhibin Alpha. Anti-Inhibin Alpha antibody (Clone: ABM44F5) was tested at 0.5 μg/ml on Recombinant and human Ovary lysates.



ABGENEX Pvt. Ltd., E-5, Infocity, KIIT Post Office, Tel: +91-674-2720712, +91-9437550560 Email: info@abgenex.com Bhubaneswar, Odisha - 751024, INDIA




Fig-2: Immunohistochemical analysis of Inhibin Alpha in Human Testis tissue using Inhibin Alpha antibody (Clone: ABM44F5) at 5 μ g/ml.