

ABGENEX Pvt. Ltd., E-5, Infocity, KIIT Post Office, Tel: +91-674-2720712, +91-9437550560 Email: info@abgenex.com Bhubaneswar, Odisha - 751024, INDIA

32-2078: sCalcitonin Recombinant Protein

Alternative CT,KC,CGRP,CALC1,CGRP1,CGRP-I,MGC126648,katacalcin,Calcitonin gene-related peptide 1

Name: precursor, Calcitonin gene-related peptide I.

Description

Source: Calcitonin Acetate (Salmon) is a synthetic polypeptide of 32 amino acids in the same linear sequence that is found in calcitonin of salmon origin. Calcitonin Acetate (Salmon) has an amino acid sequence of: Cys-Ser-Asn-Leu-Ser-Thr-Cys-Val-Leu-Gly-Lys-Leu-Ser-Gln-Glu-Leu-His-Lys-Leu-Gln-Thr-Tyr-Pro-Arg-Thr-Asn-Thr-Gly-Ser-Gly-Thr-Pro-NH2 and a Molecular Formula: of C145H240N44O48S2lts Molecular Weight: 3431.9 Dalton. Calcitonin (CT) is a peptide hormone produced by the parafollicular cells of the thyroid gland in mammals and by the ultimobranchial gland of birds and fish. Salmon calcitonin (sCT), which is more potent and longer lasting than human CT, has been used widely for the treatment of osteoporosis, paget's disease, hypercalcemic shock and chronic pain in terminal cancer patients. sCT is one of the many bioactive peptides that require C-terminal amidation for full biological activity.

Product Info

Amount: 5 mg

Purification : Greater than 98.0% as determined by(a) Analysis by RP-HPLC.(b) Analysis by SDS-PAGE.

Content : The calcitonin peptide was lyophilized with no additives.

Lyophilized Calcitonin although stable at room temperature for 3 weeks, should be stored

Storage condition:

desiccated below -18°C. Upon reconstitution CGRP should be stored at 4°C between 2-7 days

and for future use below -18°C. For long term storage it is recommended to add a carrier protein

(0.1% HSA or BSA). Please prevent freeze-thaw cycles.

Amino Acid: Calcitonin Acetate (Salmon) has an amino acid sequence of: Cys-Ser-Asn-Leu-Ser-Thr-Cys-Val-

 $\label{lem:condition} Leu-Gly-Lys-Leu-Ser-Gln-Glu-Leu-His-Lys-Leu-Gln-Thr-Tyr-Pro-Arg-Thr-Asn-Thr-Gly-Ser-Gly-Thr-Asn-Thr-Gly-Thr-Asn-Thr-Gly-Ser-Gly-Thr-Asn-Thr-Gly-Ser-Gly-Thr-Asn-Thr-Gly-Ser-Gly-Thr-Ser-Gly-Thr-Ser-Gl$

Pro-NH2.

Application Note

It is recommended to reconstitute the lyophilized Calcitonin in sterile 18MΩ-cm H2O not less than 100 Âμg/ml, which can then be further diluted to other aqueous solutions.

