

ABGENEX Pvt. Ltd., E-5, Infocity, KIIT Post Office, Tel: +91-674-2720712, +91-9437550560 Email: info@abgenex.com Bhubaneswar, Odisha - 751024, INDIA

32-2502: LDHB Recombinant Protein

Alternative Name: Lactate Dehydrogenase, LDH.

Description

Source: Escherichia Coli. The DNA encoding chicken LDH-B is cloned from cDNA library of chicken heart. Lactate dehydrogenase (LDH) is an enzyme(EC1.1.1.27) present in a wide variety of organisms, including plants and animals. A tetrameric enzyme that catalyses the interconversion of pyruvateand lactate with concomitant interconversion of NADH and NAD+. At high concentrations of pyruvate, the enzyme exhibits feedback inhibition and the rate of conversion of pyruvate to lactate is decreased. In vertebrates, genes for three different subunits (LDH-A, LDH-B and LDH-C) exist.

Product Info

Amount: 3 mg

Purification: Greater than 95.0% as determined by(a) Analysis by RP-HPLC.(b) Analysis by SDS-PAGE.

Content: The protein (1 mg/ml) was lyophilized with 0.1mg potassium phosphate.

Lyophilized Lactate Dehydrogenase although stable at room temperature for 3 weeks, should be

Storage condition: stored desiccated below -18°C. Upon reconstitution LDH should be stored at 4°C between 2-7

days and for future use below -18°C.Please prevent freeze-thaw cycles.

Application Note

It is recommended to reconstitute the lyophilized LDH in sterile 18MΩ-cm H2O not less than 100 Âμg/ml, which can then be further diluted to other aqueous solutions. The specific activity was found to be 258 U/mg protein.

