

ABGENEX Pvt. Ltd., E-5, Infocity, KIIT Post Office, Tel: +91-674-2720712, +91-9437550560 Email: info@abgenex.com

Bhubaneswar, Odisha - 751024, INDIA

32-3048: MAPK1 His Recombinant Protein

Alternative Name :

Mitogen-activated protein kinase 1,EC 2.7.11.24,Extracellular signal-regulated kinase 2,ERK-2,Mitogen-

activated protein kinase 2,MAP kinase 2,MAPK 2,p42-

MAPK,ERT1,ERK,p38,p40,p41,ERK2,MAPK2,PRKM1,PRKM2,P42MAPK,p41mapk.

Description

Source: Escherichia Coli. MAPK1 Human Recombinant produced in E.Coli is a single, non-glycosylated, polypeptide chain containing 380 amino acids (1-360 a.a.) and having a molecular mass of 43.5 kDa. The MAPK1 is purified by proprietary chromatographic techniques. Mitogen-activated protein kinase 1 (MAPK1) is also known as 'extracellular signal-regulated kinase 2' (ERK2). Two similar (85% sequence identity) protein kinases were originally called ERK1 and ERK2. They were found during a search for protein kinases that are rapidly phosphorylated after activation of cell surface tyrosine kinases such as the epidermal growth factor receptor. Phosphorylation of ERKs leads to the activation of their kinase activity. The molecular events linking cell surface receptors to activation of ERKs are complex. It was found that Ras GTP-binding proteins are involved in the activation of ERKs. Another protein kinase, Raf-1, was shown to phosphorylate a 'MAPK kinase', thus qualifying as a 'MAPK kinase kinase'. The MAPK kinase was named 'MAPK/ERK kinase' (MEK). Receptor-linked tyrosine kinases, Ras, Raf, MEK and MAPK could be fitted into a signaling cascade linking an extracellular signal to MAPK activation Transgenic gene knockout mice lacking MAPK1 have major defe

Product Info

Amount: 25 µg

Purification: Greater than 95.0% as determined by SDS-PAGE.

Content: The MAPK1 solution contains 20 mM Tris-HCl buffer (pH 8.0), 1mM DTT and 10% glycerol.

MAPK1 although stable 4°C for 4 weeks, should be stored desiccated below -18°C. For long term

Storage condition: storage it is recommended to add a carrier protein (0.1% HSA or BSA). Please prevent freeze-

thaw cycles.

Amino Acid: MGSSHHHHHH SSGLVPRGSH MAAAAAAGAG PEMVRGQVFD VGPRYTNLSY IGEGAYGMVC

SAYDNVNKVR VAIKKISPFE HQTYCQRTLR EIKILLRFRH ENIIGINDII RAPTIEQMKD VYIVQDLMET DLYKLLKTQH LSNDHICYFL YQILRGLKYI HSANVLHRDL KPSNLLLNTT CDLKICDFGL ARVADPDHDH TGFLTEYVAT RWYRAPEIML NSKGYTKSID IWSVGCILAE MLSNRPIFPG KHYLDQLNHI LGILGSPSQE MGSSHHHHHH SSGLVPRGSH MAAAAAAGAG PEMVRGQVFD VGPRYTNLSY IGEGAYGMVC SAYDNVNKVR VAIKKISPFE HQTYCQRTLR EIKILLRFRH ENIIGINDII RAPTIEQMKD VYIVQDLMET DLYKLLKTQH LSNDHICYFL YQILRGLKYI HSANVLHRDL KPSNLLLNTT CDLKICDFGL ARVADPDHDH TGFLTEYVAT RWYRAPEIML

NSKGYTKSID IWSVGCILAE MLSNRPIFPG KHYLDQLNHI LGILGSPSQE DLNCIINLKA RNYLLSLPHK NKVPWNRLFP NADSKALDLL DKMLTFNPHK RIEVEQALAH PYLEQYYDPS

DEPIAEAPFK FDMELDDLPK EKLKELIFEE TARFQPGYRS.

