

32-1425: mL 7 Recombinant Protein

Alternative Name : Lymphopoietin 1 (LP-1),pre-B cell factor,IL-7.

Description

Source : Escherichia Coli. Interleukin-7 Mouse Recombinant produced in E.Coli is a single, non-glycosylated polypeptide chain containing 130 amino acids and having a molecular mass of 15.0 kDa. The IL-7 is purified by proprietary chromatographic techniques. Interleukin-7 is a potent lymphoid cell growth factor produced primarily by stromal cells. IL-7 has been shown to support the proliferation and differentiation of pre B- and early T cells as well as displaying a biological effect on cells of NK and myeloid lineages.

Product Info

Amount :	10 µg
Purification :	Greater than 95.0% as determined by:(a) Analysis by RP-HPLC.(b) Analysis by SDS-PAGE.
Content :	Filtered (0.2µm) and lyophilized from a concentrated (1mg/ml) solution in 1xPBS, pH7.4.
Storage condition :	Lyophilized Interleukin-7 although stable at room temperature for 3 weeks, should be stored desiccated below -18°C. Upon reconstitution IL7 should be stored at 4°C between 2-7 days and for future use below -18°C.For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA).Please prevent freeze-thaw cycles.
Amino Acid :	ECHIKDKEGK AYESVLMISI DELDKMTGTD SNCPNNEPNF FRKHVCD DTK EAAFLNRAAR K LKQFLKMNI SEEFNVHLLT VSQGTQTLVN CTSKEEKNVK EQKKN D A C F L K R L L R E I K T C W N K I L K G S I.

Application Note

It is recommended to reconstitute the lyophilized Interleukin 7 in sterile 18M^Ω-cm H₂O not less than 100^Åµg/ml, which can then be further diluted to other aqueous solutions. The ED₅₀ was determined by the dose-dependent stimulation of the proliferation of murine 2E8 cells is less than 0.2 ng/ml, corresponding to a specific activity of >5.0^Å—106 IU/mg.

