

ABGENEX Pvt. Ltd., E-5, Infocity, KIIT Post Office, Tel: +91-674-2720712, +91-9437550560 Email: info@abgenex.com

Bhubaneswar, Odisha - 751024, INDIA

## 32-1553: mLeptin Recombinant Protein

Alternative Name: OB Protein, Obesity Protein, OBS, Obesity factor.

## **Description**

Source: Escherichia Coli. Leptin Mouse Recombinant produced in E.Coli is a single, non-glycosylated, polypeptide chain containing 147 amino acids and having a molecular mass of 16.2 kDa. The Leptin is purified by proprietary chromatographic techniques. A 16-kDa peptide hormone secreted from white adipocytes and implicated in the regulation of food intake and energy balance. Leptin provides the key afferent signal from fat cells in the feedback system that controls body fat stores.

## **Product Info**

Amount: 1mg

Purification: Greater than 95.0% as determined by:(a) Analysis by SEC-HPLC.(b) Analysis by SDS-PAGE.

Content: The mouse Leptin was lyophilized from a concentrated (1mg/ml) solution containing 0.1% TFA.

Lyophilized Leptin although stable at room temperature for 3 weeks, should be stored desiccated

Storage condition:

below -18°C. Upon reconstitution Leptin should be stored at 4°C between 2-7 days and for future

use below -18°C. For long term storage it is recommended to add a carrier protein (0.1% HSA or

BSA). Please prevent freeze-thaw cycles.

Amino Acid: MVPIQKVQDD TKTLIKTIVT RINDISHTQS VSAKQRVTGL DFIPGLHPIL SLSKMDQTLA

VYQQVLTSLP SQNVLQIAND LENLRDLLHL LAFSKSCSLP QTSGLQKPES LDGVLEASLY

STEVVALSRL QGSLQDILQQ LDVSPEC.

## **Application Note**

It is recommended to reconstitute the lyophilized Leptin in sterile 18MΩ-cm H2O not less than 100µg/ml, which can then be further diluted to other aqueous solutions. Biological activity of Mouse Leptin is performed in two different mouse obesity models, ob/ob and NZO. Both strains of mice were treated via intraperitoneal injection once daily at a dose of 5ug Leptin/gram body weight for a period of 14 days. Significant effects on body weight , food consumption, and plasma glucose levels were observed to saline-treated controls.

